




N° 1+4 REMOVABLE FILTERS
CLEANING IT IF IT'S NECESSARY

LAN CONNECTION


AIR OUTFLOW




BACK ELEVATION




RIGHT SIDE




FRONT ELEVATION



LEFT SIDE



DETT. F
SCALE 1 : 2



DETT. E
SCALE 1 : 2

WARNING
GRAB UPPER AND LOWER SIDES TO LIFTING

WARNING
DO NOT GRAB SIDE PANELS AND FRONTAL ZONE TO LIFT THE MACHINE

TOP SIDE

NOTE

-ALL DIMENSIONS IN mm (inches)

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ENOMATIC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ENOMATIC IS PROHIBITED.

REV.	DESCRIPTION	DATE	EXECUTOR	CHK'D	APPV'D
01	ISSUE	31/10/2013	PANICHI		

CODE:	MATERIAL:	MATERIAL CODE:	WEIGHT Kg:
/	/		

enomatic® wine serving systems

TITLE: **Flûte 2**

DWG NO. NS2-YM000


A3


QUOTE SENZA INDICAZIONI DI TOLLERANZA SECONDO UNI EN 22768 - mH
DIMENSIONS WITHOUT TOLERANCE FIGURES, ACCORDING TO UNI EN 22768 - mH STANDARD

SCALE:1:10 | LANGUAGE: ENGLISH | FINISH: | THICKNESS: | SHEET 1 OF 5

Flûte 2

SIZE	HEIGHT (MIN -MAX)	29,736 - 29,93 inches	755 - 760 mm
	WIDTH	33,504 inches	851 mm
	DEPTH	16.211 inches	412 mm
WEIGHT (Kg)		87	
FINISH MATERIALS	STAINLESS STEEL AISI 304 - PAINTED STEEL - GLASS - ALUMINUM FINISHES		
ELECTRICAL FEATURES	VOLTAGE (V)	115 or 230	
	FREQUENCY (Hz)	60@115V - 50@230V	
	MAX POWER (W)	220	
	FUSES	2X8 Amp @ 115V 2X8 Amp @ 230V	
REFRIGERATION COMPRESSOR SPECIFICATION	REFRIGERATION GAS	R-134A	
	TEMPERATURE CONTROL	ELETTRONIC CONTROLLER	
	DEFROST METHOD	AUTOMATIC VIA ELECTRONIC CONTROLLER	
	METHOD OF DISPLAYNG TEMPERATURE	DIGITAL	
	TEMEPRATURE RANGE	FROM 2°C TO 6°C	
ARGON GAS INLET PRESSURE		PN 0.3 MPa (0.2÷0.4 MPa) 3 BAR (2 ÷ 4 Bar)	
N° 4 ELECTRIC ACTUATOR TO LIFT BOTTLES			
ELECTRIC ACTUATOR	VOLTAGE	24 V DC	
	NOMINAL CURRENT	1 Amp	
	MAX CURRENT	2.2 Amp	
ACCEPTED BOTTLES	HEIGHT	10,709÷14.961 inches	272÷380 mm
	∅ MAX	4.725 inches	120 mm





PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ENOMATIC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ENOMATIC IS PROHIBITED.

enomatic® wine serving systems


CODE:	MATERIAL:	MATERIAL CODE:	WEIGHT Kg:
/	/		


TITLE: **Flûte 2**

DWG NO. NS2-YM000 — A3

QUOTE SENZA INDICAZIONI DI TOLLERANZA SECONDO UNI EN 22768 - mH
DIMENSIONS WITHOUT TOLERANCE FIGURES, ACCORDING TO UNI EN 22768 - mH STANDARD

SCALE:1:10 | LANGUAGE: ENGLISH | FINISH: | THICKNESS: | SHEET 2 OF 5





PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ENOMATIC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ENOMATIC IS PROHIBITED.

enomatic®
wine serving systems

TITLE:

Flûte 2

CODE:	MATERIAL:	MATERIAL CODE:	WEIGHT Kg:
/	/		

DWG NO. NS2-YM000 — A3

QUOTE SENZA INDICAZIONI DI TOLLERANZA SECONDO UNI EN 22768 - mH
DIMENSIONS WITHOUT TOLERANCE FIGURES, ACCORDING TO UNI EN 22768 - mH STANDARD

SCALE:1:5 | LANGUAGE: ENGLISH | FINISH: | THICKNESS: | SHEET 3 OF 5

IMPORTANT
DON'T OBSTRUCT
THE GAPS

[9,843]
250

[15,808]
402
OPEN DOOR

[19,685]
500
SUGGESTED
TO PULL OUT
THE MACHINE

[3,937]
100
BETWEEN
MACHINE
AND WALL

RIGHT SIDE

[3,937]
100

[3,937]
100

[9,843]
250
FOR AIR PASSAGE

MINIMUM REQUIRED
DISTANCE FROM
THE FLOOR LEVEL
900-1000 mm
(35.43-39.37 inches)

FRONT ELEVATION

1 - EXAMPLE INSTALLATION - POSITIONING IN FORESEEN BOX (DIMENSION IN mm (inches) REFER TO MINIMAL REQUIRED CLEARANCE FOR PROPER PERFORMANCES)

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ENOMATIC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ENOMATIC IS PROHIBITED.

CODE:	MATERIAL:	MATERIAL CODE:	WEIGHT Kg:
/	/		

enomatic®
wine serving systems

TITLE:


Flûte 2

DWG NO. NS2-YM000


A3

QUOTE SENZA INDICAZIONI DI TOLLERANZA SECONDO UNI EN 22768 - mH
DIMENSIONS WITHOUT TOLERANCE FIGURES, ACCORDING TO UNI EN 22768 - mH STANDARD

SCALE:1:10 | LANGUAGE: ENGLISH | FINISH: | THICKNESS: | SHEET 4 OF 5



RIGHT SIDE



FRONT ELEVATION

2 - EXAMPLE INSTALLATION - BUILT-IN POSITIONING (DIMENSION IN mm (inches) REFER TO MINIMAL REQUIRED CLEARANCE FOR PROPER PERFORMANCES)

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ENOMATIC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ENOMATIC IS PROHIBITED.

enomatic® wine serving systems

TITLE: **Flûte 2**

CODE:	MATERIAL:	MATERIAL CODE:	WEIGHT Kg:
/	/		

DWG NO. NS2-YM000 — A3

QUOTE SENZA INDICAZIONI DI TOLLERANZA SECONDO UNI EN 22768 - mH
DIMENSIONS WITHOUT TOLERANCE FIGURES, ACCORDING TO UNI EN 22768 - mH STANDARD

SCALE:1:5 | LANGUAGE: ENGLISH | FINISH: | THICKNESS: | SHEET 5 OF 5